



HIGH PERFORMANCE VARIABLE SPEED POOL PUMP

PEGASO VS

Our Variable Speed pool pump PEGASO-VS, is ultra-silent and it offers an state-of-the-art performance thanks to the development carried out by our engineers and its high-quality components.

Robust design for the highest demands on power and efficiency. For any type of residential pool, both seawater, salt chlorination or chlorine, working even at temperatures of 50°C..

MAIN FEATURES:

- Durability and Robustness.
- Nickel pump shaft.
- Anti-vibration bearings.
- Silicon carbide mechanical seal.
- Impeller in Noryl with fiberglass.
- Viton seals: excellent resistance to chemical agents.
- Insulation class F. Supplied with unions: Ø63 mm (thread of 2”).



✓ Energy Savings and Efficiency.

- *Adopt Variable/Fix mode controller to realize the speed control function.*
- *Automatic or manual mode for easy operation.*
- *Can be started and stopped by external keyboard or RS485 communication.*

✓ Robust and transparent lid for quick inspection.





✓ Reinforced base for stability

✓ High capacity prefilter to prevent cleaning so often and easy to open.



CODE	POWER HP	VOLTAGE 50Hz or 60Hz	INTENSITY A	SPEED r/min	WEIGHT kg	DIMENSIONS LxWxH mm	PACKING LxWxH mm
<i>NDE-PVS1</i>	2,2	115/208-230	13,8/8,5-7,4	450~3450	21,0	595x255x258	660x310x415
<i>NDE-PVS2</i>	3,95	230	16	451~3450	25,8	632x261x266	700x310x415



© NDE Group. The products in this leaflet are for illustrative purposes only. Specifications may vary NDE Group reserves the right to modify its products without prior notice.